L Number	Hits	Search Text	DB	Time stamp
1	269	712/233.ccls.	USPAT;	2004/09/22
			US-PGPUB	15:35
2	75	712/243.ccls.	USPAT;	2004/09/22
1	60	(dand = -3-0 do =3 od -b-0 do	US-PGPUB	15:37
3	68	(davis-ala\$.in. scales-rich\$.in. seshan-nataraj\$.in. stotzer-eri\$.in.	USPAT; US-PGPUB	2004/09/22
		tatge-rei\$.in.) and g06f\$.ipc.	US-PGPUB	13:36
4	33		USPAT;	2004/09/22
•	33	seshan-nataraj\$.in. stotzer-eri\$.in.	US-PGPUB	15:39
		tatge-rei\$.in.) and g06f\$.ipc.) and		
		return		
5	21	((davis-ala\$.in. scales-rich\$.in.	USPAT;	2004/09/22
		seshan-nataraj\$.in. stotzer-eri\$.in.	US-PGPUB	15:39
		tatge-rei\$.in.) and g06f\$.ipc.) and		
	77	return same branch	IICDAM.	2004/09/22
6	''	"delay slot" with return	USPAT; US-PGPUB	15:46
_	0	((move near2 constant) with instruction)	USPAT;	2004/08/10
	Ĭ	same (NOP no-op) same (branch jump	US-PGPUB	15:48
		return) same (displacement address		
		relative)		
-	0	((move with constant) with instruction)	USPAT;	2003/10/06
		same (NOP no-op) same (branch jump	US-PGPUB	09:51
]	return)		0000/10/06
-	2	, , , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB	2003/10/06
	4	<pre>same (NOP no-op) (move with constant) same (NOP no-op)</pre>	USPAT;	2003/10/06
-	"	(move with constant) same (nor no-op)	US-PGPUB	09:52
_	163	instruction with (load move) with	USPAT;	2003/10/06
		(constant address) with return with	US-PGPUB	09:54
		register and g06f\$.ipc.		
-	149	instruction with (load move) with	USPAT	2003/10/06
		(constant address) with return with		09:54
	88	register and g06f\$.ipc. (branch jump) same (instruction with	USPAT	2003/10/06
-	88	(load move) with (constant address) with	USPAI	10:00
•	=	return with register) and g06f\$.ipc.		10.00
_	46		USPAT	2003/10/06
		(load move) with (constant return) with		10:03
		address)		
-	71	712/243.ccls.	USPAT	2003/10/06
		710/022	11CD3M	10:04
-	216	712/233.ccls.	USPAT	10:05
1_		MVKH with instruction	USPAT	2003/10/06
1		TITLE WICH INDUCATION		10:23
1 -	32	"return address" with "delay slot"	USPAT	2003/10/06
				10:24
-	96	(delay with slot) same (move load) with	USPAT;	2003/10/06
1		(constant return address) and g06f\$.ipc.	US-PGPUB	16:49
-	1	(delay near2 slot) same instruction same	USPAT; US-PGPUB	2003/10/07 08:42
_	1	(specif\$4 near5 (NOP no-op)) (delay near2 slot) same instruction same	US-PGPOB USPAT;	2003/10/07
1		(specif\$4 with (NOP no-op))	US-PGPUB	08:42
	1	(delay near2 slot) same (specif\$4 with	USPAT;	2003/10/07
1	1	(NOP no-op))	US-PGPUB	08:43
-	82	(delay near2 slot) same instruction with	USPAT;	2003/10/07
1		(return near2 address)	US-PGPUB	10:20
-	35	(delay near2 slot) same instruction with (return near2 address) not IPRS	USPAT; US-PGPUB	2003/10/07
_	30	(delay near2 slot) and instruction with	USPAT;	2003/10/07
1		calculate with return with address	US-PGPUB	09:11
-	56	davis-alan.in.	USPAT;	2003/10/07
	ľ		US-PGPUB	11:08
-	82	"delay slot" same "return address"	USPAT;	2003/10/07
1		("12"	US-PGPUB	11:12
-	49	("delay slot" same (return near5 address)) not "Difficulties with saving	USPAT; US-PGPUB	2003/10/07
		the branch address" not IPRS	05 FGF0B	11.30
	I	Leue niquell address not 15ks	1	

-	66	(configur\$4 reconfigur\$4) with "return	USPAT;	2003/10/07
_	594	address" (stor\$3 near4 (return near2 address))	US-PGPUB USPAT;	12:58 2003/10/07
		with register	US-PGPUB	12:59
-	66		USPAT;	2003/10/07
	1.0	near4 register) and (delay near2 slot)	US-PGPUB	13:00
-	19	((stor\$3 near4 (return near2 address)) near4 register) and (delay near2 slot)	USPAT; US-PGPUB	2003/10/07
		not "Difficulties with saving the branch	03-FGF0B	15:27
		address" not IPRS		
-	60	((branch jump) near2 link) and (stor\$3	USPAT;	2003/10/07
		with (return near2 address) with	US-PGPUB	15:49
_	23	register) (return near2 instruction) with	USPAT;	2003/10/07
	23	(displacement offset) with (PC "program	US-PGPUB	15:50
		counter")		
-	0	((rtn ret) near2 instruction) with	USPAT;	2003/10/07
		(displacement offset) with (PC "program counter")	US-PGPUB	15:50
_	33	(return with instruction) with	USPAT;	2003/10/08
		(displacement offset) with (PC "program	US-PGPUB	10:46
		counter")		
-	0	((move near2 constant) with instruction) same (NOP no-op) same (branch jump	USPAT; US-PGPUB	2003/10/08
		return) same (offset)	US-PGPUB	10:45
-	10	(return with instruction) with	USPAT;	2003/10/08
		(displacement offset) with register with	US-PGPUB	11:06
	107	add\$3 with (PC "program counter")	HCDAM.	2002/10/00
-	187	(return with instruction) with (displacement offset)	USPAT; US-PGPUB	2003/10/08
_	36	(return with instruction) with	USPAT;	2003/10/08
		(displacement offset) with add\$3	US-PGPUB	11:23
_	64	BAL near2 instruction	USPAT;	2003/10/08
1_	50	 (BAL near2 instruction) and (return with	US-PGPUB USPAT;	11:23 2003/10/08
		instruction)	US-PGPUB	11:24
-	29	(BAL near2 instruction) and (return with	USPAT;	2003/10/08
		instruction) and (link near3 register)	US-PGPUB	11:35
-	0	<pre>(return with instruction) with ((provide suppl\$3) near3 (displacement offset))</pre>	USPAT; US-PGPUB	2003/10/08
_	35	(return with instruction) near3	USPAT;	2003/10/08
		(displacement offset)	US-PGPUB	11:35
-	2	4799151.URPN.	USPAT	2003/10/08
	1	"4399507".PN.	USPAT	11:43 2003/10/08
	1	4399307 .PN.	USPAI	11:44
-	0	instruction with specif\$3 with (amount	USPAT;	2003/10/08
		number) near3 (NOP NOOP NO-OP) same	US-PGPUB	14:43
_	7	"delay slot" instruction with specif\$3 with (NOP NOOP	USPAT;	2003/10/08
	1	NO-OP) and "delay slot"	US-PGPUB	14:44
-	875	(FIFO queue buffer) with ((fetch near2	USPAT;	2003/10/09
		address) ((PC "program counter") near2	US-PGPUB	08:48
_	31	<pre>value)) ((FIFO queue buffer) with ((fetch near2</pre>	USPAT;	2003/10/09
		address) ((PC "program counter") near2	US-PGPUB	09:40
		value)) same delay) and (branch jump)		
-	1	5537559.pn.	USPAT;	2003/10/09
_	4	delay near2 fetch near2 address	US-PGPUB USPAT;	09:40
		acta, nears recent nears address	US-PGPUB	09:41
-	1	6237077.pn.	USPAT;	2003/10/09
	1.0	/	US-PGPUB	09:59
-	12	(coulter-k\$.xa. coulter-k\$.xp.) and (NOP NOOP NO-OP)	USPAT; US-PGPUB	2003/10/09
-	4	NOOP NO-OP ("4855947" "5515519" "5546037"	USPAT	2003/10/09
		"5727194").PN.		11:06
-	4	("4701842" "4937783" "5121498"	USPAT	2003/10/09
_	91	"5396622").PN. (ellis-r\$.xa. ellis-r\$.xp.) and ((NOP	USPAT;	11:07
		NOOP NO-OP) (delay with branch))	US-PGPUB	11:10
			·	·

-	6	1 (() -	USPAT;	2003/10/09
		NOOP NO-OP) and (delay with branch))	US-PGPUB	11:10
-	1	6137836.pn.	USPAT;	2003/10/09
			US-PGPUB	13:53
-	228	((PC "program counter") near2 operand)	USPAT;	2004/03/08
		((US-PGPUB	09:20
_	22	((PC "program counter") near2 operand)	USPAT;	2004/03/08
	""	with (load store arithmetic)	US-PGPUB	09:21
	258	((PC "program counter") adj4 operand)	USPAT;	2004/03/08
	230	((ic program counter) adja operand)	US-PGPUB	09:21
	10	((PC "program counter") adj4 operand)	USPAT;	
-	18			2004/03/08
		with (load store arithmetic)	US-PGPUB	09:34
-	0	((calculat\$3 determin\$3) near3 "return	USPAT;	2004/03/08
		address") with delay\$2 with branch	US-PGPUB	09:35
-	49	"return address" with branch with delay\$2	USPAT;	2004/03/08
			US-PGPUB	09:52
-	3	(predicat\$3 guard\$3) with "return	USPAT;	2004/03/08
		address"	US-PGPUB	09:53
-	. 0	"branch to a branch"	USPAT;	2004/03/08
			US-PGPUB	11:03
-	17	execut\$3 with consecutive near3 branch\$2	USPAT;	2004/03/08
			US-PGPUB	15:24
-	119	(two multiple plurality) near3 branch\$2	USPAT;	2004/03/08
		with ("in a row" consecutive	US-PGPUB	11:53
		subsequent\$2) and g06f\$.ipc.		
_	221	(taken near3 branch\$2) with (consecutive	USPAT;	2004/03/08
		successive) and g06f\$.ipc.	US-PGPUB	11:55
_	25	(taken near1 branch\$2) with (consecutive	USPAT;	2004/03/08
"	23		US-PGPUB	12:01
	3.66	successive) and g06f\$.ipc.		
-	266		USPAT;	2004/03/08
		(consecutive successive follow\$3) and	US-PGPUB	13:36
	1.0	g06f\$.ipc.	77.0.D.D.D.	0004/00/00
-	12	(conditional adj1 branch\$2) near1	USPAT;	2004/03/08
		(consecutive successive) and g06f\$.ipc.	US-PGPUB	14:16
-	59	(consecutive successive) with (call near3	USPAT;	2004/03/09
		instruction) and g06f\$.ipc.	US-PGPUB	11:28
-	62	(consecutive successive) with (jump near3	USPAT;	2004/03/08
		instruction) and g06f\$.ipc.	US-PGPUB	14:25
-	29	(consecutive successive) near5 (jump	USPAT;	2004/03/08
		near3 instruction) and g06f\$.ipc.	US-PGPUB	14:25
j –	0	(consecutive near3 conditional near2	USPAT;	2004/03/08
		branch\$2) same (offset displacement) with	US-PGPUB	15:26
		(PC "program counter") with (add\$3)		
-	1	((consecutive successive) near3	USPAT;	2004/03/08
	1	conditional near2 branch\$2) and ((offset	US-PGPUB	15:37
		displacement) with (PC "program		
1		counter"))		.
_	54		USPAT;	2004/03/08
		branch\$2 call)) and ((offset	US-PGPUB	15:37
		displacement) with (PC "program		• - •
1		counter"))		
1_	1	5822591.pn.	USPAT;	2004/03/09
		0022331.pii.	US-PGPUB	11:29
_	77	delay slot" with return		2004/09/22
-	l ''	deray proc with retain	USPAT;	
	_	/#5620524# #5064967#\ DN	US-PGPUB	15:46
-	2	("5638524" "5964867").PN.	USPAT	2004/08/10
	_	C075000 VDDV		15:59
_	1	6275929.URPN.	USPAT	2004/08/10
	_	("4770000" "57700" "77700"		15:59
-	5	("4773002" "5958044" "6157988"	USPAT	2004/08/10
		"6275921" "6275929").PN.		16:43
-	4		USPAT	2004/08/10
		"5727194").PN.		16:44
-	4	5958044.URPN.	USPAT	2004/08/10
				16:58